



Plissé Opaque


filtersun




PO0204




PO0450



PO0999



PO1320




PO1510



PO1999




PO2700




PO4630



PO5504



PO3910



PO11274



PO11308



Autre
Tarif 4



Intérieur



Occultant

Coeff. ouverture (en %)

0.00

Composition












100 % polyester


Soudable

-

Entretien

Épongeable

Recto	Réf.	Largeur de laize (mm)	Transmission solaire	Réflexion solaire	Absorption solaire	Transmission lumière visible
	PO0204	2050	0 %	70 %	30 %	0 %
	PO0450	2050	0 %	70 %	30 %	0 %
	PO0999	2050	0 %	70 %	30 %	0 %
	PO1320	2050	0 %	70 %	30 %	0 %
	PO1510	2050	0 %	70 %	30 %	0 %
	PO1999	2050	0 %	70 %	30 %	0 %
	PO2700	2050	0 %	70 %	30 %	0 %
	PO4630	2050	0 %	70 %	30 %	0 %
	PO5504	2050	0 %	70 %	30 %	0 %
	PO3910	2050	0 %	70 %	30 %	0 %
	PO11274	2350	0 %	73 %	27 %	0 %

Recto	Réf.	Largeur de laize (mm)	Transmission solaire	Réflexion solaire	Absorption solaire	Transmission lumière visible
	PO11308	2350	0 %	70 %	30 %	0 %