



Soltis Touch 5 % (Hors collection)


filtersun




7655-50937




7655-50938




7655-50939




7655-50940



7655-50941




7655-50942




7655-50943




7655-50944




7655-50945




7655-50946




7655-50947




7655-50948




7655-50949




7655-50951




7655-50955




7655-50957




7655-50958




7655-50959




7655-50960



7655-50963


















7655-50982

 Rouleau intérieur
 Tarif 5 - Plus value : 48.27 € / m²

 Intérieur
  Filtrant
  M1
  Euroclass B-s2,d0

Poids (en g/m²)	430
Coeff. ouverture (en %)	5.00
Composition	20 % Polyester - 72 % PVC - 8 % Acrylique
Soudable	Oui
Entretien	Epongeable
Sens d'enroulement	Vertical et horizontal
Largeur de laize (mm)	2700

Recto	Réf. rouleaux	Transmission solaire	Réflexion solaire	Absorption solaire	gtot	Transmission lumière visible
	7655-50937	11 %	54 %	35 %	0,15	99 %
	7655-50938	7 %	28 %	65 %	0,23	7 %
	7655-50939	7 %	14 %	79 %	0,27	7 %
	7655-50940	6 %	9 %	85 %	0,28	6 %
	7655-50941	10 %	48 %	42 %	0,18	8 %
	7655-50942	9 %	31 %	60 %	0,42	8 %
	7655-50943	7 %	23 %	70 %	0,24	7 %
	7655-50944	6 %	11 %	83 %	0,28	6 %
	7655-50945	9 %	45 %	46 %	0,18	8 %
	7655-50946	9 %	46 %	45 %	0,18	8 %

Recto	Réf. rouleaux	Transmission solaire	Réflexion solaire	Absorption solaire	gtot	Transmission lumière visible
	7655-50947	9 %	32 %	59 %	0,23	8 %
	7655-50948	7 %	15 %	78 %	0,27	7 %
	7655-50949	8 %	31 %	61 %	0,23	7 %
	7655-50951	8 %	11 %	81 %	0,28	7 %
	7655-50955	9 %	47 %	44 %	0,18	8 %
	7655-50957	9 %	34 %	57 %	0,21	8 %
	7655-50958	7 %	15 %	78 %	0,28	7 %
	7655-50959	9 %	39 %	52 %	0,20	8 %
	7655-50960	8 %	26 %	66 %	0,24	7 %
	7655-50963	6 %	10 %	84 %	0,28	6 %
	7655-50982	17 %	74 %	9 %	0,10	15 %