




0150




0204



0292




0606




0952




1459




1601




1650




1858




1861




2056




2251



2258



2352




2358




2550




2751




2853




3251




3750




3754



3790




3853




4018




4051




4156



4451




4459




4499




4544




4756




4798




4806




4810



4844




4851




4860




5050




5250




5654




5752




5953



5957



7000



7010




7055



7113



7326



7419




9451



9455



9456



9457



Autre
Tarif 1














Intérieur




Épaisseur (en mm) 0.22















Coeff. ouverture (en %) 0.00






Composition Aluminium

Soudable -

Recto	Réf.	Transmission solaire	Réflexion solaire	gtot	Transmission lumière visible
	0150	0 %	69,5 %	0,34	0 %
	0204	0 %	68,4 %	0,34	0 %
	0292	0 %	66,5 %	0,35	0 %
	0606	0 %	57 %	0,38	0 %
	0952	0 %	41 %	0,42	0 %
	1459	0 %	11 %	0,53	0 %
	1601	0 %	12 %	0,52	0 %
	1650	0 %	20,7 %	0,49	0 %
	1858	0 %	5,2 %	0,54	0 %
	1861	0 %	4,88 %	0,54	0 %
	2056	0 %	39,2 %	0,43	0 %

Recto	Réf.	Transmission solaire	Réflexion solaire	gtot	Transmission lumière visible
	2251	0 %	17 %	0,50	0 %
	2258	0 %	36,3 %	0,44	0 %
	2352	0 %	21,5 %	0,49	0 %
	2358	0 %	58,9 %	0,38	0 %
	2550	0 %	45,2 %	0,41	0 %
	2751	0 %	64,4 %	0,35	0 %
	2853	0 %	51,2 %	0,39	0 %
	3251	0 %	26,7 %	0,47	0 %
	3750	0 %	55,6 %	0,39	0 %
	3754	0 %	57,7 %	0,37	0 %
	3790	0 %	52,9 %	0,40	0 %
	3853	0 %	38,4 %	0,43	0 %
	4018				
	4051	0 %	55,7 %	0,38	0 %

Recto	Réf.	Transmission solaire	Réflexion solaire	gtot	Transmission lumière visible
	4156	0 %	56,8 %	0,38	0 %
	4451	0 %	61,9 %	0,36	0 %
	4459	0 %	68,1 %	0,34	0 %
	4499	0 %	69,1 %	0,34	0 %
	4544	0 %	34,4 %	0,45	0 %
	4756	0 %	33,4 %	0,45	0 %
	4798	0 %	7,9 %	0,54	0 %
	4806	0 %	50,2 %	0,40	0 %
	4810	0 %	50,5 %	0,40	0 %
	4844	0 %	18,8 %	0,49	0 %
	4851	0 %	12,4 %	0,51	0 %
	4860	0 %	8,9 %	0,52	0 %
	5050	0 %	38,5 %	0,43	0 %
	5250	0 %	42,1 %	0,42	0 %

Recto	Réf.	Transmission solaire	Réflexion solaire	gtot	Transmission lumière visible
	5654	0 %	39,7 %	0,43	0 %
	5752	0 %	50,7 %	0,39	0 %
	5953	0 %	55,8 %	0,38	0 %
	5957	0 %	41,3 %	0,42	0 %
	7000	0 %	69,2 %	0,34	0 %
	7010	0 %	47,2 %	0,41	0 %
	7055	0 %	34,3 %	0,45	0 %
	7113	0 %	67,4 %	0,35	0 %
	7326	0 %	64,8 %	0,35	0 %
	7419	0 %	60,3 %	0,37	0 %
	9451	0 %	68,2 %	0,35	0 %
	9455	0 %	12,9 %	0,53	0 %
	9456	0 %	5,7 %	0,55	0 %
	9457	0 %	73,9 %	0,33	0 %